

Typical Product Catalogue Of Shower Room




Typical product catalogue of shower room




01 SOLUTION **SPACE**



Fresh colors, colorful feelings, fragrant breath, simple life is different.





HOTEL >>> SHOWER ROOM

Space type: Hotel scene

Matching scheme: Shower room, shower faucet, basin faucet, bathtub faucet, corner valve, floor drain, soap dispenser, hanging basket, electric towel rack, bath towel rack, towel rack, clothes hook, row hook, makeup mirror, clothes dryer, folding clothes hanger, hair dryer, perfume sprayer and other product combinations.

Related Accessories:

- WJF31010 Folding clothes hanger
- WFJ2101A Clothes dryer
- WHJ1004A Cosmetic mirror
- WDQ10060 Hair drier
- WFJ51010 Aerosol dispenser
- WYG12020 Clothes hook
- WYG20040-3 Row hook
- WWSZ71963 Angle valve
- WDL3941C-75 The floor drain
- WDL60280 Long floor drain
- WGL10090 Hanging basket
- WFJ41020 Induction soap dispenser
- WWSZ37520 Floor bathtub faucet



• WVG70550
Electric towel rack

• LSS04922
Shower room



• WSZ39330
Shower faucet

• WSZ19470
Basin mixer

• WGL53030
Niche

• WVG55040
Towel rack

• WVG55210
Tissue holder

• WVG55240
Toilet brush

HARDCOVER >>> SHOWER ROOM

Space type: hardbound scene

Matching scheme: shower room, shower faucet, washbasin faucet, vegetable basin faucet, sink, angle valve, small faucet, floor drain, hanging basket, electric towel rack, kitchen shelf, bath towel rack, towel rack, clothes hook and other product combinations.

Related Accessories:



• WCP12160
Water tank



• WSZ42150
Vegetable basin faucet



• WGL10080
Hanging basket



• WYG12040
Clothes hook



• WYG0004C
Clothes hook



• WDL2011A/C
The floor drain



• WDL201XA/C
The floor drain



• WSZ7110H/C
Angle valve



• WSZ8103B
Small faucet



• WYG11080
Kitchen shelf




HOME SHOWER ROOM >>>

Space type: Home decoration scene

Matching scheme: Shower room, shower faucet, basin faucet, vegetable basin faucet, sink, corner valve faucet, floor drain, hanging basket, electric towel rack, kitchen shelf, towel rack, towel rack, clothes hook and other product combinations.

Related Accessories:






SCHOOL SHOWER ROOM >>>

Space type: School scene

Matching scheme: Shower room, shower faucet, basin faucet, sensing faucet, angle valve, small faucet, floor drain, hanging basket, towel rack, towel rack, towel box, clothes hook product combination.



Related Accessories :





• LGS00122
Panoramic door



• WYG11060
Kitchen shelf



• WSZ42140
Vegetable basin faucet
• WCP11060
Water tank

KITCHEN ROOM >>>

Space type: Kitchen scene

Matching scheme: Panoramic door, vegetable basin faucet, sink, corner valve, floor drain, kitchen shelf and other product combinations.

Related Accessories:



• WSZ71940
Angle valve



• WDL201XA/C
The floor drain



• WSZ95220
Stainless steel braided hose



• WSZ45981 Induction basin faucet
• WSZ96020 Launching device



• WZH30060 Tissue box



• WDQ20010 Hand dryer

PUBLIC WASHROOM



Space type: Public scene

Matching scheme: Induction faucet, incense sprayer, disinfectant, hand dryer, baby table, tissue box, toilet paper box, soap dispenser and other product combinations.

Related Accessories:



• WFJ51010 Aerosol dispenser



• WDQ30010 Disinfectant



• WDQ20050 Hand dryer



• WYD10040 Baby stand



• WZH20040 Toilet paper box



• WFJ41020 Soap dispenser



WFS13050
Safety handrail



WSZ19500
Basin mixer

WFS12040
Safety handrail



WFS11080
Safety handrail



WFS12050
Safety handrail

BARRIER-FREE SPACE



Space type: barrier-free scene

Matching scheme: safety handrail, tissue box, bathroom stool, baby table and other product combinations.

Related Accessories:



WZH30060
Tissue box



WFG41020
Baby stand



WYD10030
Bathroom stool



Technology



Description of glass screen identification



TEMPERED GLASS



GB 15763. 2
E000000 ZSBIA QB/T 2584

TEMPERED GLASS —————> Tempered glass



—————> China Compulsory Product Certification
E000000



—————> Zhongshan Shower Room Association
ZSBIA

GB 15763. 2 —————> National standard: Safety glass for building Part 2: tempered glass

QB/T 2584 —————> Industry standard: Shower room

304

Stainless steel 304 profile

It has a strong touch and strong metal texture, which is a very fashionable shower room material. Produced in strict accordance with American ASTM standards, it has excellent bearing capacity, is not easy to deform and has strong corrosion resistance. Perfect display of polished 8K mirror effect, lasting brightness as new.



High-performance hardware technology

Both the main body and accessories are made of top-grade SUS304 raw materials. By the process of integrated precision casting molding, repeated polishing and grinding, hardware is corrosion resistance, high hardness, safety, and durable.



Vacuum electroplating technology

Using the superb PVD vacuum electroplating process, the surface of high-gloss plating hardware accessories is as bright as new, never fading, strong corrosion resistance, not only has the best texture, but also has a long service life.



Pulley technology

Power system composed of high-strength stainless steel bearings and high-quality imported steel balls is outsourced with modified Saigang and imported materials, with lubrication function. The wheel seat is sealed to prevent air and water from entering, and the pulley can run smoothly for a long time to prevent jumping and jamming. After the sliding test of the movable door, the service life can reach several decades. Durable.



Tempered glass process

Full-automatic glass cutting machine, advanced computer operation interface, laser positioning, the latest European algorithm, automatic typesetting optimization, high-precision cutting, rough grinding, fine grinding, polishing, chamfering and other processes are processed at one time. The advanced glass tempering furnace adopts the physical tempering method for tempering treatment to improve the strength of glass and ensure the safety of glass.



PET Safety explosion-proof membrane

Imported PET material can increase the strength of glass a few times. Even if the glass bursts due to a high-strength external force, glass fragments will still stick together firmly, which will guarantee your safety.



PVC Sealant strip


It is produced by the continuous vulcanization process of food-grade raw material extrusion molding technology. It is used in sanitary products with reasonable design, waterproof and dustproof, bright color, durability, aging resistance, acid and alkali resistance, and fine and glossy section.



Stone base

Clone natural stone base is made of high-performance resin, natural powder and PVC raw materials through vacuum, high pressure and temperature extrusion molding. The new formula has strong toughness and hollow design. It is strong and durable, not easy to break, and lighter. The UV microcrystalline surface is delicate and soft, with clear texture and bright

Shower room product model description



LHS90131: Hinge door type shower room with 901 series linear shape



Contents

Hinge type

GH001	P.30
LH041	P.38
LH042	P.44
LH901	P.52
LH005	P.62
LH003	P.70
LH001	P.80

Shaft type

GZ001	P.22
LZ084	P.92
LZ083	P.96
LZ082	P.102
LZ081	P.106
LZ041A	P.112
LZ002	P.118

Double Shaft type

GS001	P.34
LS046A	P.126
LS048	P.130
LS049	P.134
LS005	P.140
LS002	P.148

Single Shaft type

LD048	P.156
LD042	P.160
LD040	P.164

Linkage door type


LL003	P.170
LL005	P.174
LL041	P.178

Sliding door type

LT040A	P.182
LT045	P.186
LT005	P.190

Panoramic door

LG001	P.200
LG002	P.204
LG003	P.208
LG004	P.211
LG005	P.214
LG006	P.216



Minimalism
...
Gaoding shower room



Simplicity and purity



One door for two purposes: Unique shaft structure can easily realize 240° internal and external door opening

Minimal: 25mm on the front face of the upper track

Safety: Glass edge metal wrap, multiple safety protection



This series can be used for external or internal door opening






Shaft type

Shaft type




GZT00141 Standard specification: 2000x900x2200mm
 Customized range: L:1800-3000, W:800-1200mm, H:1850-2400

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




GZS00131 Standard specification: 1400x2000mm
 Customized range: L:1200-2000, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




GZL00131 Standard specification: 1000x800x2200mm
 Customized range: L:900-1500, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




GZS00121 Standard specification: 1000x2200mm
 Customized range: L:900-1500, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



GZT00152 Standard specification: 2000x800x2000mm
 Customized range: L:2000-3000, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm






Fill the space with simplicity



Buffer damping: Can be installed with buffer damping, buffer door closing, anti-pinch hand
Minimal: 26mm from the front view of the upper rail
Safety: Glass edge metal wrap, multiple safety protection






GDS00121

Standard specification: 1200x2000mm
 Customized range: L:1200-1600, H:1850-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



GDS00131

Standard specification: 1600x2000mm
 Customized range: L:1600-2200, H:1850-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



GDL00131

Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Brushed gold
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm





Smart simplicity



Hidden hinge: The hinge is hidden and not exposed, with strong bearing capacity
Minimal: 20mm on the front face of the upper track
Safety: Glass edge metal wrap, multiple safety protection



This series is exterior door







GHS00121

Standard specification: 1000x2000mm
 Customized range: L:900-1500, H:1850-2400mm



Product material: Aluminum Alloy
 Surface treatment: Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



GHS00131

Standard specification: 1400x2000mm
 Customized range: L:1200-2200, H:1850-2400mm



Product material: Aluminum Alloy
 Surface treatment: Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



GHL00131

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500, W:800-1200, H:1850-2400mm



Product material: Aluminum Alloy
 Surface treatment: Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



GHT00152

Standard specification: 2000x900x2000mm
 Customized range: L:2000-3000, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm





Poetry of simple residence



Aluminum alloy

Ground rail sliding door: adjustable lower support bearing structure, smooth sliding
 Minimal: 25mm on the front face of the upper track
 Safety: glass edge metal wrap, multiple safety protection




Hoarse black
 Gunpowder grey
 Brushed gold




GSS00122 Standard specification: 1400x2000mm
 Customized range: L:1200-1600, H:1850-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



GSL00131 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600, W:800-1200, H:1850-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm





Hinge Door
...
Shower room



Inside and outside hinge



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity

This series can make in open-out or open-in door





Hinge type



Hinge type




Hinge type

Hinge type


LHS04121 Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm




LHS04131 Standard specification: 1400x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm




LHP04131 Standard specification: 900x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm




LHL04131 Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHT04152 Standard specification: 2000x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm





Total package box



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity

This series is exterior door





SEEKING
NEW PLACE




Hinge type



Hinge type


LHS04211 Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHS04221A Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHS04221B Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm




LHS04231 Standard specification: 1400x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm




LHP04231 Standard specification: 900x2000mm
 Customized range: L1:800-1200mm, 2L:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm




LHL04231 Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



LHT04252 Standard specification: 2000x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm





Elegant Unique



Nobility is not the luxury of material, not the luxury of life, but the attitude and personality of life. The noble honor of the classic series meets the needs of bathroom life, and is also a business card that reflects your identity

This series can make in open-out or open-in door





—
PURIFIED
WORLD,
CAREFREE
ENJOYMENT

Hinge type



ETERNALLY
BLOOMS IN TIME

Hinge type

ELEGANCE






LHS90111

Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHS90121

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHS90131

Standard specification: 1500x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHP90131

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHL90131

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHL90141

Standard specification: 1500x900x2000mm
 Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHU90141

Standard specification: 1200x900x900x2000mm
 Customized range: L:800-1300mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHU90151

Standard specification: 1500x900x900x2000mm
 Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHT90152

Standard specification: 2000x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHF90162

Standard specification: 2000x900x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHE90172

Standard specification: 2000x900x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



Hinge type

Hinge type




Beautiful space





Home is a port. On every evening when you return home, you should feel comfortable at the first time. To enjoy life is to have the most comfortable experience.

This series can make in open-out or open-in door



PERFECT FEELING



Product features:

- The glass does not need to be cut, greatly reducing the risk of self-explosion;
- The water retaining strip does not need to be cut, and it is installed in a through-type manner to achieve perfect dry-wet separation



Hinge type



THE DESIGN CONCEPT
ORIGINATED FROM NATURE,
MAKES SUNSHINE ,

green plant, shower space to be integrated with each other and create a lively atmosphere,
people can enjoy the intimate experience brought from water and nature.

Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.


Hinge type



LHS00511

Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHS00521

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHS00531

Standard specification: 1500x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHP00531

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHL00531

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHL00541

Standard specification: 1500x900x2000mm
 Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHU00541

Standard specification: 1200x900x900x2000mm
 Customized range: L:800-1300mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHU00551

Standard specification: 1500x900x900x2000mm
 Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHT00552

Standard specification: 2000x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHF00562

Standard specification: 2000x900x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LHE00572

Standard specification: 2000x900x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm





Classic Trend



Behind every product, there is a story. From design to production, it is the formation and recognition of product personality and style. Every process is forged with a high level of quality and texture.

This series is exterior door





INTIMATE
EXPERIENCE

Hinge type



RATIONALITY
AND SENSITIVITY



Hinge type

Hinge type



CREATE
QUALITY MODEL




Hinge type

LHS00311

Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHS00321

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHS00331

Standard specification: 1500x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHP00331

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHL00331

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHL00341

Standard specification: 1500x900x2000mm
 Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHU00341

Standard specification: 1200x900x900x2000mm
 Customized range: L:800-1300mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHU00351

Standard specification: 1500x900x900x2000mm
 Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHT00352

Standard specification: 2000x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHF00362

Standard specification: 2000x900x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



LHE00372

Standard specification: 2000x900x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8 / 10 mm
 Optional stone base: 50x60mm



Hinge type

Hinge type



Touch Elegance



With ingenious design, simple and clear lines, elegant design is not limited by any era and trend, and is different from the style of secular vision, making sanitary life full of charm.

This series can make in open-out or open-in door





Hinge type



ANGLE IS RELEASED, UNIVERSAL CORNER JOINT

Hinge type



Hinge type




Hinge type

BRAND
STYLE


LHS00111 Standard specification: 800x2000mm
Customized range: L:700-900mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHS00121 Standard specification: 1000x2000mm
Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHS00131 Standard specification: 1500x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHP00131 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHL00131 Standard specification: 1200x900x2000mm
Customized range: L1:1000-1500mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHL00141 Standard specification: 1500x900x2000mm
Customized range: L1:1200-1800mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHU00141 Standard specification: 1200x900x900x2000mm
Customized range: L:800-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHU00151 Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHT00152 Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm




LHF00162 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm



LHE00172 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12 mm
Optional stone base: 50x60mm





Shaft Type
...
Shower room

Shaft type

Shaft type



Space rhythm



Creativity is ever-changing. It is a space rhythm full of diverse beauty and rhythm. It is a space full of creativity, and it can give people fantastic and wonderful life enjoyment.

This series can be applicated in open-out or open-in doors







LZS08421

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm



Product material: S.S.304
 Surface treatment: Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm



LZS08431

Standard specification: 1400x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm



Product material: S.S.304
 Surface treatment: Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm



LZP08431

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm, L2:800-1300mm, H:1850-2200mm



Product material: S.S.304
 Surface treatment: Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm




LZL08431

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm





Enjoy the Purity




When taste becomes the basis of life, you will be at the forefront of fashion and enjoy a pure and comfortable bathroom life. All dreams have turned into bits and pieces of life.

This series can be applied in open-out or open-in doors





Shaft type





Shaft type



LZS08321

Standard specification: 1000x2000mm
 Customized range: L:800-1300mm, H:1850-2200mm



Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm



LZS08331

Standard specification: 1400x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm



Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm



LZP08331

Standard specification: 900x900x2000mm
 Customized range: L1:800-1300mm, L2:800-1300mm, H:1850-2200mm



Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm




LZL08331

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 10mm
 Optional stone base: 50x60mm





Wisdom Space



Publicize the charm of modern art and create the ever-changing between creativity and sentiment. Wisdom is the humanistic spirit of space.

This series can be applied in open-out or open-in doors






Shaft type



LZS08221

Standard specification: 1000x2000mm
Customized range: L:800-1300mm, H:1850-2200mm


Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LZS08231

Standard specification: 1400x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm



Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LZP08231

Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm



Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LZL08231

Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm



Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



LZT08252

Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black
Glass thickness: 8 / 10 / 12mm
Optional stone base: 50x60mm



Shaft type



Fashion Fields




In the field of fashion, find your own personality, and in every detail of life, let you enjoy the "bath" freely.

This series can be applicated in open-out or open-in doors





Shaft type




Shaft type



LZS08111

Standard specification: 800x2000mm
 Customized range: L:700-900mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



LZS08121

Standard specification: 1000x2000mm
 Customized range: L:900-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



LZS08131

Standard specification: 1400x2000mm
 Customized range: L:1200-1800mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



LZP08131

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



LZL08131

Standard specification: 1200x900x2000mm
 Customized range: L1:1000-1500mm, L2:800-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



LZT08152

Standard specification: 2000x900x2000mm
 Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey / Brushed gold
 Glass thickness: 8 / 10mm
 Optional stone base: 50x60mm



Shaft type

Shaft type



Classic Enjoy



Tailored for people with taste, it represents the highest level of artistic bathroom life. It is a label of identity and status. It is culture, art, enjoyment and treasure. It is our long-awaited lifestyle.

This series can be applicated in open-out or open-in doors






RELEASE
POETIC IMAGINATION

Shaft type

Shaft type


LZS041A21 Standard specification: 1000x2000mm
Customized range: L:800-1300mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZS041A31 Standard specification: 1500x2000mm
Customized range: L:1200-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZP041A31 Standard specification: 900x900x2000mm
Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZL041A31 Standard specification: 1200x900x2000mm
Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZL041A41 Standard specification: 1500x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZU041A41 Standard specification: 1200x900x900x2000mm
Customized range: L:1000-1300mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZU041A51 Standard specification: 1500x900x900x2000mm
Customized range: L:1200-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZT041A52 Standard specification: 2000x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZF041A62 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm




LZE041A72 Standard specification: 2000x900x900x2000mm
Customized range: L:1900-2500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 8 / 10mm
Optional stone base: 50x60mm



Shaft type

Shaft type



Gorgeous appearance



The gorgeous instrument shows the worship and creation of the ultimate life, the perfect unity of the construction and shape of work and energy, the artistic creation of geometric squares, and the integration of practicality and taste.

This series can be applied in open-out or open-in doors



Shaft type





Shaft type



LZS00231

Standard specification: 1200x2000mm
 Customized range: L:1000-1400mm, H:2000-2200mm



Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LZP00231

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:2000-2200mm



Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LZL00231

Standard specification: 1200x900x2000mm
 Customized range: L:1000-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8mm
 Optional stone base: 50x60mm



INTIMATE
 EXPERIENCE

Shaft type

Shaft type



Double Shaft Type
...
Shower room



Taste Life



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.







Double Shaft type

Double Shaft type


LSS046A22 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm





LSS046A21 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm





LSS046A31 Standard specification: 1500x2000mm
 Customized range: L:1400-1800mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm




LSS046A42 Standard specification: 1800x2000mm
 Customized range: L:1400-2000mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm



LSL046A32 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm





Double Shaft type



Release the Space



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.




Double Shaft type




Double Shaft type

Double Shaft type


LSS04822 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm
 Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LSS04821 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm
 Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm



LSL04832 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm
 Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10 / 12mm
 Optional stone base: 50x60mm





Double Shaft type



Journey of Taste



Transparent and flexible design space, sharp edges and corners, precise structural design, perfect combination of art and science and technology, resolute and powerful, but also comprehensive, interpreting modern life.



Double Shaft type



Double Shaft type

Double Shaft type




Double Shaft type

Double Shaft type


LSS04922 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm




LSS04921 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm




LSL04932 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm




LSL04931 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm




LSS04942 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: Aluminum Alloy
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm



Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.



Freehand Elements



Rationality and sensibility are interwoven, integrated and sublimated here. The simple composition and freehand elements highlight the profound charm of art and technology, sensibility and intellectuality.





Double Shaft type

Double Shaft type



Double Shaft type

THE DESIGN CONCEPT ORIGINATED FROM NATURE MAKES SUNSHINE

green plant, shower space to be integrated with each other and create a lively atmosphere, people can enjoy the intimate experience brought from water and nature.

Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.



Double Shaft type




Double Shaft type

Double Shaft type

LSS00522

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte Black
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm



LSS00521

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm


Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte Black
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm



LSL00532

Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm


Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte Black
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm



LSS00542

Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm, H:1850-2200mm

Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte Black
 Glass thickness: 8 / 10mm
 Optional stone base: 50x80mm





Delicate Texture



Aluminium alloy

No matter how perfect the product design is, it needs to be realized through production. The accuracy of material selection and molding, and the accurate measurement of lofting and cutting all reflect our work style of meticulous work and excellence.



Double Shaft type



Double Shaft type


SEEKING
NEW PLACE




Double Shaft type

Double Shaft type


LSS00222 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm
 Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm




LSS00221 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm
 Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm




LSS00242 Standard specification: 1600x2000mm
 Customized range: L:1400-2000mm, H:1850-2200mm
 Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL00232 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm
 Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LSL00231 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm
 Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver
 Glass thickness: 8mm
 Optional stone base: 50x80mm





Single Shaft Type
...
Shower room

Single Shaft type


Single Shaft type



Beautiful Attractive




With the simplest lines, the simplest geometric surfaces and geometric bodies, and through the simplest combination, the horizontal and vertical, line and surface, surface and body, practical and beautiful are skillfully combined into a whole, full of modern fashion.






LDS04821 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 12mm
 Optional stone base: 50x60mm




LDL04831 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 12mm
 Optional stone base: 50x60mm




LDS04831 Standard specification: 1500x2000mm
 Customized range: L:1400-1800mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 12mm
 Optional stone base: 50x60mm



LDS04842 Standard specification: 1800x2000mm
 Customized range: L:1600-2200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black / Gun grey
 Glass thickness: 8 / 12mm
 Optional stone base: 50x60mm







Beautiful Attractive



With the simplest lines, the simplest geometric surfaces and geometric bodies, and through the simplest combination, the horizontal and vertical, line and surface, surface and body, practical and beautiful are skillfully combined into a whole, full of modern fashion.





LDT04241 Standard specification: 2000x900x2000mm
 Customized range: L:2000-3000mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LDT04231 Standard specification: 2000x900x2000mm
 Customized range: L:2000-2600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8mm
 Optional stone base: 50x80mm



LDT04221 Standard specification: 1800x900x2000mm
 Customized range: L:1800-2400mm, W:900-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8mm
 Optional stone base: 50x80mm



Single Shaft type

Single Shaft type



Enticing Space



The exquisite texture sets off the elegant and generous mood and impresses the life with infinite vitality. The combination of nature and humanity allows you to easily have a quiet and charming space.






Single Shaft type

Single Shaft type


LDS04021 Standard specification: 1400x2000mm
Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror
Glass thickness: 8mm
Optional stone base: 50x60mm




LDS04031 Standard specification: 1500x2000mm
Customized range: L:1400-1800mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror
Glass thickness: 8mm
Optional stone base: 50x60mm




LDS04042 Standard specification: 1800x2000mm
Customized range: L:1500-2200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror
Glass thickness: 8mm
Optional stone base: 50x60mm




LDL04031 Standard specification: 1400x900x2000mm
Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror
Glass thickness: 8mm
Optional stone base: 50x60mm




LDL04041 Standard specification: 1500x900x2000mm
Customized range: L:1400-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror
Glass thickness: 8mm
Optional stone base: 50x60mm



LDL04052 Standard specification: 1800x900x2000mm
Customized range: L:1500-2200mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror
Glass thickness: 8mm
Optional stone base: 50x60mm





Linkage Door Type

Shower room

Linkage door type

Linkage door type



Magnificent Chic



Classic works of art touch the soul. Gorgeous and unique design combined with exquisite and excellent craftsmanship, make people move, and give full play to the aesthetic feeling, which can be regarded as the perfect combination of creativity and technology.



Linkage door type

Linkage door type




Linkage door type


Linkage door type

LLS00332

Standard specification: 1200x2000mm
 Customized range: L:1100-1500mm, H:1850-2200mm

Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver
 Glass thickness: 6/8mm
 Optional stone base: 50x80mm





Beautiful



In the simple and plain design, it not only reflects the simplicity and lightness of modern bathroom space, but also reflects the simplicity and solemnity of traditional culture, and the elegant and beautiful style, creating the simple nature and cordiality of bathroom.





Linkage door type


Linkage door type

LLS00532

Standard specification: 1200x2000mm
Customized range: L:1100-1500mm, H:1850-2200mm

Product material: Aluminum Alloy
Surface treatment: Gloss Silver
Glass thickness: 8/12mm
Optional stone base: 50x80mm





Balance of Beauty



The combination of first-class materials and advanced technology brings a warm and delicate texture, deduces grace from a new design perspective, lets people experience a noble and comfortable bathroom life, and brings a very spiritual life style.




Linkage door type

Linkage door type


LLS04132 Standard specification: 1200x2000mm
Customized range: L:1100-1500mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 6 / 8mm
Optional stone base: 50x80mm



LLL04142 Standard specification: 1200x900x2000mm
Customized range: L:1100-1500mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
Surface treatment: Mirror / Matte black / Gun grey
Glass thickness: 6 / 8mm
Optional stone base: 50x80mm





Sliding Door Type
...
Shower room

Sliding door type


Sliding door type



Charm Space



A beam of light, hit on the glass, sketched an outline, alternating light and dark, indistinct, like telling a distant and beautiful past, let the master inadvertently dream back to the past.



Sliding door type

Sliding door type




Sliding door type

Sliding door type


LTC040A42 Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 6 / 8mm
 Optional stone base: 50x60mm



LTS040A21 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm




LTS040A31 Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm




LTS040A42 Standard specification: 1800x2000mm
 Customized range: L:1500-2200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm




LTL040A31 Standard specification: 1400x900x2000mm
 Customized range: L:1200-1600mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm




LTL040A41 Standard specification: 1500x900x2000mm
 Customized range: L:1400-1800mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm



LTL040A52 Standard specification: 1800x900x2000mm
 Customized range: L:1500-2200mm, W:800-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror
 Glass thickness: 8mm
 Optional stone base: 50x60mm





Quality Superior



Perceived space aesthetics, including temperature, depth and breadth. Fashion lifestyle involves all aspects of life, such as clothing, food and drink, behavior and even emotional expression.



Sliding door type

Sliding door type

THE DESIGN CONCEPT ORIGINATED FROM NATURE, MAKES SUNSHINE,

green plant, shower space to be integrated with each other and create a lively atmosphere, people can enjoy the intimate experience brought from water and nature.




Based on the design concept of nature, sunshine, green plants and shower space are integrated into each other, creating a fresh atmosphere where people can enjoy the intimate experience brought by water and nature.

LTP04531

Standard specification: 1100x1100x2000mm
 Customized range: L1:900-1300mm, L2:1050-1300mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LTL04521

Standard specification: 900x900x2000mm
 Customized range: L:700-900mm, W:700-1200mm, H:1850-2200mm


Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



LTL04531

Standard specification: 900x900x2000mm
 Customized range: L:900-1400mm, W:700-1200mm, H:1850-2200mm

Product material: S.S.304
 Surface treatment: Mirror / Matte black
 Glass thickness: 8/10mm
 Optional stone base: 50x60mm



Sliding door type

Sliding door type



Pure and Happy



In the world of innocence, I have a easily moved heart. In passion, I woven into colorful memories. I also seek sensible happiness and finally a melancholy and confused heart, and find my own way of life.



Sliding door type

Sliding door type



Sliding door type

Sliding door type

Simple structural atmosphere, bright and friendly colors and natural light combine the beauty of contemporary life. The open shower space transforms the entire bathroom into a charming area, which highlights the pure and simple design style.



Sliding door type

Sliding door type



THE ATMOSPHERE WITH SIMPLE STRUCTURE,

bright and warm colors and natural light, combined with the beauty of contemporary life, the open style of bathroom shower space makes the whole bathroom shower space makes the whole bathroom to be transformed into an area with full charming ,thus it highlights the pure concise design style more than before.




Sliding door type

Sliding door type

LTC00542

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte black
 Glass thickness: 6 / 8mm
 Optional stone base: 50x60mm



LTL00542

Standard specification: 900x900x2000mm
 Customized range: L1:800-1200mm, L2:800-1200mm, H:1850-2200mm


Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte black
 Glass thickness: 6 / 8mm
 Optional stone base: 50x60mm



LTS00521

Standard specification: 1400x2000mm
 Customized range: L:1200-1600mm, H:1850-2200mm

Product material: Aluminum Alloy
 Surface treatment: Gloss Silver / Matte Silver / Matte black
 Glass thickness: 6 / 8mm
 Optional stone base: 50x60mm





Panoramic Door Type

...







Aesthetic Space




Aluminium alloy

Combination of living room and kitchen
The top design is completed in one go
Narrow the border, fine and warm
Present a full space effect for the living room

-  Matte black
-  Gun grey
-  Enamel white
-  Brushed gold





Suitable for different scenarios
Redefining high setting style



Parlor



Kitchen



Indoor balcony





Study





LGS00122 Standard specification: 1400x2200mm
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover





LGS00121 Standard specification: 1400x2200mm
Customized range: L:1200-2400mm, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover



LGS00111 Standard specification: 800x2200mm
Customized range: L:600-1200mm, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Regular cover, hidden cover






Fill the Space



Extremely narrow line aesthetic realm
Extreme open space experience
Art and function coexist
Redefining modern home





Reverse linkage push-pull smooth synchronous opening and closing

Adapt to different scenarios and redefine the high setting style



Parlor



kitchen



Indoor balcony



Study



Multi-function room



Cloakroom



Italian simple aluminum handle
Slender lines and more secluded design

Same direction linkage steadily opens the door space to 65%


SEEKING NEW PLACE



LGS00232

Standard specification: 1800x2200mm
Customized range: L:1500-3500, H:2000-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover



LGS00232

Standard specification: 2000x2200mm
Customized range: L:2000-3500, H:2000-2400mm



Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover



LGS00232

Standard specification: 2000x2200mm
Customized range: L:2000-3500, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover





Balance of Control



Immersive living space
 Delighting yourself in a wide range of circumstances and being simple and comfortable
 Balance stability and beauty
 Create eye-catching focus
 Reflecting poetic and dynamic space



Matte black



Gun grey



Enamel white



Brushed gold





Immersive solitary living space
The wider of hear in yourself, the more of simple at ease
Balance stability with beauty
Create the focus of personal attention
Reflecting the poetic and flexible space

Track-type sliding door, stable and beautiful

Adapt to different scenarios and redefine the high setting style



Parlor



kitchen



Indoor balcony




Study



Multi-function room



Cloakroom




Return type handle with locking tongue, pop up and hide as you like

SEEKING
NEW PLACE

LGS00322

Standard specification: 1400x2200mm
Customized range: L:1200-2400, H:2000-2400mm


Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover



LGS00311

Standard specification: 800x2200mm
Customized range: L:600-1200, H:2000-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover, regular cover, hidden cover






Meticulous Care




Classic shape will make you feel as if you could see the reversal of time. With more meticulous care, your family will feel more comfortable and warm.



LGS00433

Standard specification: 1800x2200mm
 Customized range: L:1600-3600, H:2000-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
 Glass thickness: 8/10mm
 Optional scheme: Double cover, single cover, regular cover, hidden cover



Adapt to different scenarios and redefine the high setting style



Parlor



Kitchen



Indoor balcony



Study



Multi-function room




Cloakroom



Charm Space



A beam of light, hit on the glass, sketched an outline, alternating light and dark, indistinct, like telling a distant and beautiful past, let the master inadvertently dream back to the past.



Adapt to different scenarios and redefine the high setting style



Multi-function room



Cloakroom




Toilet

LGS00511

Standard specification: 800x2200mm
Customized range: L:650-900, H:1900-2400mm

Product material: Aluminum Alloy
Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
Glass thickness: 8/10mm
Optional scheme: Double cover, single cover






Life realm




Soft rain, like smoke and fog, like light gauze at dawn, is like in Bolivian's dumb sky, intoxicated with the selfless, comfortable, free and unrestrained realm of life.



LGS00620

Standard specification: 900x2200mm
 Customized range:L:800-1200, H:2000-2400mm


Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
 Glass thickness: 8/10mm
 Optional scheme: Double cover, single cover, regular cover, hidden cover




LGS00640

Standard specification: 1800x2200mm
 Customized range:L:1600-2000, H:2000-2400mm

Product material: Aluminum Alloy
 Surface treatment: Matte black/Gun grey/Enamel white/Brushed gold
 Glass thickness: 8/10mm
 Optional scheme: Double cover, single cover, regular cover, hidden cover



Adapt to different scenarios and redefine the high setting style



How to choose a shower room?

1. Check the room type and choose right style

(1) Choose the room type according to bathroom layout. The conventional room types on the market are: Straight, Curved.

2. Look at the glass, choose safety explosion-proof glass

(1) Glass is the core component of shower room, and glass safety is the most important part of purchasing a shower room.

- ① Toughened glass with CCC certification mark and processed with fine grinding and chamfering and rounding of four corners;
- ② The appearance is transparent, and there are no defects such as dots and bubbles.

2. Look at the profile, it must be solid and durable

(1) Shower room profile is a metal frame which supports and moves tempered glass. The material is divided into stainless steel 304 and high-quality aluminum alloy.

- ① Appearance: Profiles with good gloss, strong corrosion resistance, and no defects such as color difference and trachoma;
- ② Quality; high-quality aluminum alloy: the hardness of aluminum material is above 12 degrees, and the conventional thickness is above 1.2mm; stainless steel 304: the conventional thickness is above 0.8mm.

3. Look at the pulley, be light and smooth

(1) Material of pulley:

- ① The bearing of the pulley is made of compressive and heavy-duty materials;
- ② The bracket of the pulley is made of 304 stainless steel, which is resistant to deformation and corrosion;
- ③ The life of the pulley needs to reach more than 25000 times of pushing and pulling.

4. Look at the seal, separate dry and wet

(1) The main observation parts for the sealing of the shower room are connection between the glass and the wall, the joint between rubber strip and glass (profiles, accessories), magnetic attraction between rubber strips, whether the joint between shower room and stone base (bottom basin) is sealed.

5. Certificate of shower room

(1) The 3C certificate, quality inspection certificate, and patent certificate of a product is a direct manifestation of product quality.

Cleaning and maintenance of shower room

1. Clean

(1) Routine cleaning

- ① Please rinse by clean water daily and by glass water regularly to maintain smoothness of glass;

(2) Clean dirt

- ① . If there is dirt on glass, please wipe it off with a neutral detergent and a soft cloth;
- ② Stubborn stains can be removed by little alcohol, and corrosive solutions such as acidic and alkaline solvents are not allowed.

2. Maintenance of tempered glass, stainless steel profile, aluminum alloy profile, stone base

- ① Don't scratch or impact the glass surface (especially the corners) with hard objects;
- ② Do not wipe the surface of the glass (profile, stone base) with strong acid, strong alkali and other corrosive solutions, so as not to damage the surface gloss.
- ③ . Do not wipe the surface of glass (profiles, stone base) with rigid materials such as metal wires to avoid scratches on the surface;

The standard of customized shower room



Customized requirements for application :

A. Sliding door screen

1. When customer doesn't have special requirements, the production standard of sliding door screens is to reasonably allocate the size of each piece of glass on the premise of maximizing the opening space.

2. Recommend a reasonable screen according to exact width:

Width(mm)	Linkage door	Double sliding	One fix and one sliding	Two fix and one sliding	Two fix and two sliding
< 1000					
1000-1200	●				
1200-1600		●	●		
1400-2000				●	●
Under the premise of ensuring the safety of the house, the limit width of the movable glass should not exceed 800mm, and the fixed glass can be relatively wide to ensure safety.					

3. If the upper, middle and bottom widths measured on site are inconsistent, the upper, middle and bottom width dimensions (actual size) should be indicated.

4. The capping size must be clearly noted that height is true and size has not been reduced, and 3-5mm will be appropriately subtracted during factory production

B. Swing door application

1. When placing an order, it is necessary to write clearly the customized width of fixed glass or movable glass. If not specified, the factory will reasonably allocate the glass size according to the specific width of the product.

2. Recommend a reasonable screen according to the specific width:

Width(mm)	90° single swing door screen	One fix and one sliding	Two fix and one sliding		
< 800	●				
800-1500		●			
1200-2000			●		
The movable glass has a width of 600-650mm, of which two fixed and one living shower room, and the small fixed glass is 150-300mm.					

3. If the upper, middle and lower widths measured on site are inconsistent, the upper, middle and lower width dimensions (actual size) should be indicated.

4. The capping size must be clearly noted that the height is true and the size has not been reduced. The factory will appropriately subtract 3-5mm.

Customized requirements for square-shaped shower room :

(1) Ensure the angle is 90°

(2) Order the size of the length, width and height (usually the size of the room body of the order is placed in the size of the outer edge of the stone base),

(3) If you need the net size of the house (formed size after installation), you must indicate on the order (the net size of the house is smaller than the size of the order)

2. Without specifying the installation location, the house is usually installed in the middle of the stone base.

3. When the length and width are not equal, the corner direction and door opening direction of the shower room must be indicated.

4. The capping size must be clearly noted that the height is true and the measurement has not been reduced. The factory will appropriately subtract 3-5mm

Customized requirements for diamond-shaped shower room :

1. Order requirements for diamond-shaped shower room:

(1) The angle is ensured to be 135° ,

(2) The optional diamond-shaped stone base has two specifications of bevel length 636 and 707 (the bevel length of the customized factory stone base must be indicated),

(3) Place an order with the dimensions of length, width and height (usually the size of the room body of the order is placed in the size of the outer edge of the stone base).

(4) If you need the net size of the house (formed size after installation), you must indicate on the order (the net size of the house is smaller than the size of the order).

2. If you need to make your own stone foundation, please ask the technical engineer for the stone base drawings, and make them according to the requirements.

3. If the customer has pre-embedded the stone base, please measure according to the size measurement method provided by the company, and calculate whether the three side dimensions meet 135° .

If the stone base is irregular or with steps, you need to provide specific size sketches and on-site photos, and confirm with the company's designer that it can be produced before placing an order.

4. Without specifying the installation location, the house is usually installed in the middle of the stone base.

5. The cap size must be clearly noted that the height is not reduced by the actual measurement, and 3-5mm will be appropriately subtracted during the factory production.

Customized requirements for curved shower room :

1. Curved room order requirements:

(1) The standard arc radius of the stone base is 550mm. The radius cannot be changed. The size difference can only be achieved by changing the length of the two straight sides.

(2) Place an order with the dimensions of length, width and height (usually the size of the room in the order is placed in the size of the outer edge of the stone base).






(3) If you need the net size of the house (formed size after installation), it must be indicated on the order (the net size of the house is smaller than the size of the order).

2. If you need to make your own stone base, please ask the technical engineer for the stone foundation drawings, and make them according to the designing requirements.

3. If the customer has pre-embedded the stone base, please measure according to the size measurement method provided by the company, and calculate whether the stone foundation R can satisfy us .The smallest R manufactured. If the stone base is irregular or with steps, you need to provide specific size sketches and on-site photos, and confirm with the company' s designers whether it can be produced. You can place an order.

4. When the length and width are not equal, the left and right directions of the room should be indicated separately.

5. The cap size must be clearly noted that the height is not reduced by the actual measurement, and 3-5mm will be appropriately subtracted during the factory production.



Standard for dimensional measurement of shower rooms



Purpose: Standardize the measurement procedure, improve measurement efficiency and size accuracy.

Note: For the measurement of on-site size, please measure the size after bathroom tiles are pasted.

Tools: tape measure, protractor, angle ruler, pencil, notebook, etc.

Length unit: mm

If there is a top rod, the height of the rod should be considered when measuring the height of the shower room. Refer to the catalogue to select the model with rod. When placing an order, indicate whether the height of the room body is to the height of the top of the rod or the height of the glass.

Hot tip:

- ① . The measured size is subject to actual measurement and cannot be increased or decreased!
- ② . The measured size is the outermost edge size of the stone base. When placing an order, the outermost edge size of the stone base will be quoted!
- ③ . The measured size must indicate the width of the stone base.


Other considerations:

- ① Consult the customer about the distribution of water and electric wires, and ensure that the installation avoids water pipes and circuits.
- ② . The measured size must be the actual size and cannot be increased or decreased.
- ③ . Provide a simple layout diagram of the bathroom (photograph).
- ④ . Whether there are collision objects in the opening direction of the shower room and the surrounding area.
- ⑤ Determine the direction of the room body (left and right type).
- ⑥ . If it is a high floor, pay attention to the size of the bathroom door and elevator to ensure that the goods can enter the home smoothly.

Color for stone base



Specification for stone base



Specification: 50x60mm

Specification: 50x80mm

Shape of stone base




Shower room glass sample




Measurement of shower room


Size measurement for shower screen



Size measurement for square shower room




Measure wall side size without stone base




Embedded stone base and wall angle is in 90 degree

Size measurement for diamond shower room




Measure wall side size without stone base




Angle measurement under embedded stone base situation


Size measurement for fan shaped shower room



Measure wall side size without stone base





Standard stone base arc radius



Length measurement under embedded stone base situation

Size measurement for shower room with window





Handle



LSD201 square tube 25X25
Center distance: 450/600mm



LSD202 circular tube ϕ 25
Center distance: 450/600mm



LSD203 flat tube 25X13
Center distance: 450/600mm



LSD204 square tube 19X19
Center distance: 400/450/600mm



LSN201 square tube 25X25
Center distance: 450/600mm



LSN202 circular tube ϕ 25
Center distance: 450/600mm



LSN203 flat tube 25X13
Center distance: 450/600mm



LSN203 square tube 19X19
Center distance: 450/600mm



LSN208 elliptical tube 24X12
Center distance: 145mm



LSN209 circular tube ϕ 25
LSN210 circular tube ϕ 19
Center distance: 145mm



LSP201 square tube 25X25
Center distance: 300/450mm



LSP202 circular tube ϕ 25
Center distance: 300/450mm



LSP203 flat tube 25X13
Center distance: 300/450mm



LSP204 square tube 19X19
Center distance: 300/450mm



LSL301 square tube 25X25
Center distance: 425X275mm



LSL302 circular tube ϕ 25
Center distance: 425X275mm



LSL303 flat tube 25X13
Center distance: 425X275mm



LSL304 square tube 19X19
Center distance: 425X275mm



LSL305 circumference 25X10 circular tube ϕ 25
LSL306 circumference 30X15 circular tube ϕ 30
Center distance: 425X275mm/450X300mm



LSU403 square tube 25X13
Center distance: 300X800X300mm