

















Smart

Bathroom mirror






INTELLIGENT MAGIC MIRROR FUNCTION

	CUSTOMIZED Customized products Customized according to your needs		MUSIC play music Mass listening to music		WIFI Wireless LAN connection
	DEMISTER Demisting function One-key defogging, clearly visible		MOVIE Movie player HD movie playback		BLUE TOOTH Bluetooth Transfer files
	TIME Time display Built-in digital clock		SMART HOME Smart home Smart mirror to listen to you		TEMPERATURE temperature display Built-in digital temperature
	LED LED lighting Ensure perfect lighting performance		CALENDAR Calendar Display year and date		WEATHER Weather forecast Predict the weather
	MAN-MACHINE CONVERSATION Man-machine dialogue Smart mirror to listen to you		PHONE CALL Communication system Call function		PHONE CALL time Tunnel Unlimited RGB lighting

Customizable colors:



Titanium black Elegant black Titanium gold Rosegolden Galaxy grey Wire drawing Green bronze

COMPANY PROFILE



Our company is in Foshan, Guangdong, China. We are a factory specializing in the production of bathroom smart mirrors. Its product functions include: touch switches, electronic clocks, Bluetooth music, and intelligent defogging. Product categories are: acrylic lamp mirror, stainless steel lamp mirror, aluminum alloy lamp mirror and so on.

The company introduces advanced foreign technology, has advanced production equipment and professional technical personnel. Always adhering to the needs of users as the core, while focusing on the development of domestic and foreign markets, the products are quickly updated and the application of a number of invention patents, providing thoughtful and professional services to our customers, and establishing a good reputation.



SM-210500

SIZE	500*650*150mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Acrylic + aluminum structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-210501

SIZE	550*650*1500mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-210800

SIZE	750*650*150mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Acrylic + aluminum frame. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	UL CE SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-211000

SIZE	1000*650*150mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Acrylic + aluminum frame. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	UL CE SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-210801

SIZE	750*650*150mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-211001

SIZE	1000*650*150mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

≡ SMART INTELLIGENT MIRROR ≡



**LIGHTING UP DIFFERENT
MIRROR AESTHETICS**



SM-210502

SIZE	500*800mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21012


SIZE	550*800mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Aluminum alloy frame ,Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21009A


SIZE	600*800mm(Acrylic cabinet)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Acrylic structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.





SM-21023

SIZE	1000*600mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.




SM-21016A (Black aluminum frame)
SM-21016B (Black stainless steel frame)

SIZE	1500*600mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Aluminum alloy frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

≡ SMART INTELLIGENT MIRROR ≡



LIGHTING UP DIFFERENT MIRROR AESTHETICS



SM-21022

SIZE	Ø 700mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlledlight,antifogging,time,tempera ture/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Aluminum profile frame ,Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.





SM-21021A (Aluminum)
SM-21021B (stainless steel)

SIZE	Ø 800mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Black narrow edge aluminum/Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

SM-21011A (Aluminum)
SM-21011B (stainless steel)

SIZE	Ø 900mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Golden stainless steel frame/Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.





SM-21013A (Black aluminum)
SM-21013B (Black stainless steel)

SIZE	Ø 700mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Black stainless steel frame/Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.


SM-21007A

SIZE	Ø 700mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Acrylic structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21019A (Aluminum frame)
SM-21019B (Stainless steel frame)

SIZE	Ø 900+ Ø 500mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Stainless steel frame/Aluminum profile frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21027

SIZE	Ø 700*1000mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Black stainless steel frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21027A (Aluminum) SM-21027B (stainless steel)

SIZE	Ø 700mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Aluminum alloy structure/Aluminum alloy frame. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21008A (Ø 600) SM-21008B (Ø 800) SM-21008C (Ø 1000)

SIZE	Ø 600/800/1000mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Acrylic structure, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

≡ SMART INTELLIGENT MIRROR ≡



LIGHTING UP DIFFERENT MIRROR AESTHETICS



SM-21020A (Aluminum)
SM-21020B (stainless steel)

SIZE	1500*600mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlledlight,antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835 colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Stainless steel frame,Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21028A (Aluminum)
SM-21028B (stainless steel)

SIZE	500*800mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Aluminum frame, Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.




SM-21002A (Black aluminum frame)
SM-21002B (Stainless steel frame)

SIZE	1200*600mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Black stainless steel frame, Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.




SM-21029A

SIZE	600*800mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature	3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Acrylic, Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21029A

SIZE	1500*600mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature	3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Acrylic back frame. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.




SM-21015

SIZE	600*900mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature	3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Acrylic frame. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.




SM-21030A (Black aluminum)
SM-21030B (Black stainless steel)

SIZE	500*1100mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Black stainless steel,Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.





SM-21018

SIZE	500*1100mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Color lamp aluminum,Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.




SM-21017

SIZE	1000*600mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21026 (3d tunnel mirror)

SIZE	1200*600mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Color lamp aluminum, Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



3d tunnel mirror

SM-21025A (Aluminum frame)
SM-21025B (Stainless steel frame)

SIZE	Ø 600mm(Can be customized)
	1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
	colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)
Input voltage	90-260V
Structure	Color lamp aluminum, Aluminum alloy structure. Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21033H

SIZE	600*1100mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlledlight,antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Stainless steel frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

SM-21035H

SIZE	600*1500mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlledlight,antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Stainless steel frame,Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



≡ SMART INTELLIGENT MIRROR ≡


LIGHTING UP DIFFERENT MIRROR AESTHETICS



SM-21031


SIZE	500*1500mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging,time,temperature/6 bits controlled light antifogging,time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Stainless steel frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	CE CCC SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

SM-21032H

SIZE	500*1100mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Stainless steel frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	 SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.



SM-21036H

SIZE	450*2800mm(Can be customized)
1 button control light/2bits control light, anti-fog/4 bits controlled light, antifogging, time, temperature/6 bits controlled light antifogging, time, temperature, Bluetooth speakers	
Mirror	5mm copper free mirror
Led light	Led light belts with 12V low. 2835
colour temperature 3000-3500K(warm light)/6000- 6500K(white light)24LM.1METER 10W(Can be customized)	
Input voltage	90-260V
Structure	Stainless steel frame, Add water proof power box
Increased configuration	anti-fog/time/temperature/Bluetooth speakers/magnifier
Installation style	Hanging
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Authentication	 SAA ROHS
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

SM-21038H (Glass Screen)

SIZE	400*2800mm(Can be customized)
Packaging	K=A 5 layers neutral carton +Foam
Suitable	space home\ hotel\ beauty makeup\hair salon\public
Guarantee	Two years
Maintenance style	Use toothpaste or 30% cleaning diluent to clean mirror stains.

